Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	((oximeter$4 or oximetry) or (oxygen with saturat$6))and (install$8 with (monitor$4 or (oximeter$4 or oximetry))) and (((wavelength$1 or (wave adj length$1)) with (control$5 or microcontroller$1 or (micro adj control$5))) or (((led or leds or (light adj emit$6)) with (control$5 or microcontroller$1 or (micro adj control$5))) same (wavelength$1 or (wave adj length$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 06:58
L2	271	((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (monitor with (drive$1 or driving or driver$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:03
L3	52	((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (monitor with (drive$1 or driving or driver$1) with sensor$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:03
L4	16	((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (monitor with (drive$1 or driving or driver$1) with sensor$1) and (((wavelength$1 or (wave adj length$1)) with (control$5 or microcontroller$1 or (micro adj control$5))) or (((led or leds or (light adj emit$6)) with (control$5 or microcontroller$1 or (micro adj control$5))) same (wavelength$1 or (wave adj length$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:14
L5	20	((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (monitor with (drive$1 or driving or driver$1) with (sensor$1 or oximeter$4)) and (((wavelength$1 or (wave adj length$1)) with (control$5 or microcontroller$1 or (micro adj control$5))) or (((led or leds or (light adj emit$6)) with (control$5 or microcontroller$1 or (micro adj control$5))) same (wavelength$1 or (wave adj length$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:26

L6	7	((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (monitor with (drive$1 or driving or driver$1) with (sensor$1 or oximeter$4)) and (sync$17 with monitor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:32
L7	12	((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (monitor$3 with (drive$1 or driving or driver$1) with (sensor$1 or oximeter$4)) and (sync$17 with monitor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:32
L8	202	(masimo).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:39
L9	151	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 09:51
L10	9	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND UPGRAD$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:41
L11	6	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND UPGRAD$6 AND (wavelength$1 or (wave adj length$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:46
L12	4	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND UPGRAD$6 AND (wavelength$1 or (wave adj length$1)) AND SAMPL$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:47
L13	1	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND UPGRAD$6 AND (wavelength$1 or (wave adj length$1)) AND SAMPL$6 AND (DEMODULAT$6 OR (DE ADJ MODULAT$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:49
L14	1	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND (wavelength$1 or (wave adj length$1)) AND SAMPL$6 AND (DEMODULAT$6 OR (DE ADJ MODULAT$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:49

L15	6	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND (wavelength$1 or (wave adj length$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:50
L16	25	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND (wavelength$1 or (wave adj length$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:58
L17	37	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND (wavelength$1 OR WAVEFORM$1 or (wave adj (length$1 OR FORM$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 15:39
L18	23	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND (wavelength$1 OR WAVEFORM$1 or (wave adj (length$1 OR FORM$1))) AND SAMPL$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:15
L19	5	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND (wavelength$1 OR WAVEFORM$1 or (wave adj (length$1 OR FORM$1))) AND (DEMODULAT$6 OR (DE ADJ MODULAT$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:20
L20	23	L19 L18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:21
L21	5	L19 AND L18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:21
L22	18	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND (wavelength$1 OR WAVEFORM$1 or (wave adj (length$1 OR FORM$1))) AND ((DRIVE OR DRIVE$4 OR DRIVING) WITH (SENSOR$1 OR OXIMETER$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:24

L23	11	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND (wavelength$1 OR WAVEFORM$1 or (wave adj (length$1 OR FORM$1))) AND (((DRIVE OR DRIVE$4 OR DRIVING) WITH (SENSOR$1 OR OXIMETER$4)) SAME (CABLE$1 OR ADAPTER$1 OR ADAPTOR$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:38
L25	1	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND (wavelength$1 OR WAVEFORM$1 or (wave adj (length$1 OR FORM$1))) AND (SYNC$10 NEAR DETECT$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:39
L26	0	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND ((DECOD$6 OR (DE ADJ COD$5)) WITH HEAD$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:43
L27	1	((oximeter$4 or oximetry) or. (oxygen with saturat$6)) AND ((DECOD$6 OR (DE ADJ COD$5)) WITH (HEAD$5 NEAR INTERVAL$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:44
L28	36	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (SYNCH$10 WITH (SENSOR$1 OR OXIMETER$6) WITH MONITOR$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:45
L29	81	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (SYNCH$10 WITH (SENSOR$1 OR OXIMETER$6) WITH MONITOR$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:46
L30	46	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (SYNCH$10 WITH (SENSOR$1 OR OXIMETER$6) WITH MONITOR$3) AND (EMITTER$1 OR LED OR LEDS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 09:43
L31	7	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (SYNCH$10 WITH (SENSOR$1 OR OXIMETER$6) WITH MONITOR$3) AND ((EMITTER$1 OR LED OR LEDS) WITH PAIR$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 08:47

L32	41	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (SYNCH$10 WITH (SENSOR$1 OR OXIMETER$6) WITH MONITOR$3) AND (EMITTER$1 OR LED OR LEDS) and (detector$1 or photodiode$1 or (photo adj diode$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 10:01
L33	2	"20040107065"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 09:49
L34	1	l33 and (select$5 with detect$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 09:54
L35	19	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (select$5 with (detector$1 or photodiode$1 or (photo adj diode$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 10:41
L37	1	l33 and (select$5 with (predetermin$6 or (pre adj determi$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 09:55
L38	38	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (SYNCH$10 WITH (SENSOR$1 OR OXIMETER$6) WITH MONITOR$3) AND ((EMITTER$1 OR LED OR LEDS) same (detector$1 or photodiode$1 or (photo adj diode$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 10:02
L39	89	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 10:43
L40	15	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with pinout$1 or pinouts or pin or pins)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 10:43

L41	5	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with (pinout$1 or pinouts or pin or pins))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 10:53
L42	27	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with sensor$1 with (connect$6 or interfac$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 13:39
L43	3	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with sensor$1 with (connect$6 or interfac$5)) and (detector$1 with (pin or pins or pinout$1 or lead$1 or leads) with sensor$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 13:30
L44	0	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with select$5 with (emitter$1 or led or leds or (light adj emit$5))) and (detector$1 with (pin or pins or pinout$1 or lead$1 or leads) with sensor$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 13:32
L45	3	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with (emitter$1 or led or leds or (light adj emit$5))) and (detector$1 with (pin or pins or pinout$1 or lead$1 or leads) with sensor$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 13:37
L46	3	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with (emitter$1 or led or leds or (light adj emit$5))) and (detector$1 with (pin or pins or pinout$1 or lead$1 or leads) with (sensor$1 or oximeter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 13:38

L47	31	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with (sensor$1 or oximeter$1) with (connect$6 or interfac$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 13:46
L48	45	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with (sensor$1 or oximeter$1 or emitter$1 or led or leds or (light adj emit$5)) with (connect$6 or interfac$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 13:47
L49	28	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with (sensor$1 or oximeter$1 or emitter$1 or led or leds or (light adj emit$5)) with (connect$6 or interfac$5)) and ((emitter$1 or led or leds or (light adj emit$5)) with (sensore$1 or oximeter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 13:47
L50	45	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with (sensor$1 or oximeter$1 or emitter$1 or led or leds or (light adj emit$5)) with (connect$6 or interfac$5)) and ((emitter$1 or led or leds or (light adj emit$5)) with (sensor$1 or oximeter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 13:48

L51	16	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with (sensor$1 or oximeter$1 or emitter$1 or led or leds or (light adj emit$5)) with (connect$6 or interfac$5)) and ((emitter$1 or led or leds or (light adj emit$5)) with (sensor$1 or oximeter$1)) and ((detector$1 with (sensor$1 or oximeter$1 or emitter$1 or led or leds or (light adj emit$5))) with (pin or pins or pinout$1 or lead$1 or contact$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 14:14
L52	18	L8 AND ((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (((detector$1 or photodiode$1 or (photo adj diode$1))) same (EMITTER$1 OR LED OR LEDS)) and (detector$1 with (sensor$1 or oximeter$1 or emitter$1 or led or leds or (light adj emit$5) or probe$1) with (connect$6 or interfac$5)) and ((emitter$1 or led or leds or (light adj emit$5)) with (sensor$1 or oximeter$1)) and ((detector$1 with (sensor$1 or oximeter$1 or emitter$1 or led or leds or (light adj emit$5))) with (pin or pins or pinout$1 or lead$1 or contact$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 14:51
L54	2	"20010029326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 14:52
L55	2	l54 and (detector$1 or oximeter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 14:54
L56	2	l54 and ((detector$1 or oximeter$1) with (emit$6 or led or leds or (light adjh emit$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 14:55
L57	1	l54 and ((detector$1 or oximeter$1) with (emit$6 or led or leds or (light adj emit$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 15:06

L58	1	I54 and ((detector$1 or oximeter$1 or photodiode$1 or (photo adj diode$1)) with (emit$6 or led or leds or (light adj emit$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 15:06
L59	29	((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND ((wavelength$1 OR WAVEFORM$1 or (wave adj (length$1 OR FORM$1))) with (sensor$1 or oximeter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:10
L62	741	(702/104,127).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:09
L63	121	(702/134,135).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:09
L64	1701	(356/39-42).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:09
L65	582	(600/332-342).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:10
L66	1	I62 and ((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND ((wavelength$1 OR WAVEFORM$1 or (wave adj (length$1 OR FORM$1))) with (sensor$1 or oximeter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:10
L67	0	I63 and ((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND ((wavelength$1 OR WAVEFORM$1 or (wave adj (length$1 OR FORM$1))) with (sensor$1 or oximeter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:10

L68	0	I64 and ((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND ((wavelength$1 OR WAVEFORM$1 or (wave adj (length$1 OR FORM$1))) with (sensor$1 or oximeter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:10
L69	1	I65 and ((oximeter$4 or oximetry) or (oxygen with saturat$6)) AND (UPGRAD$6 WITH (MONITOR$3 OR OXIMETER$5)) AND ((wavelength$1 OR WAVEFORM$1 or (wave adj (length$1 OR FORM$1))) with (sensor$1 or oximeter$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 16:11
S1	71	AL-ALI-AMMAR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 14:52
S2	6	(masimo adj lab$8).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:39
S3	1	(masimo adj lab$8).asn. and ((wavelength$1 or (wave adj length$1)) with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 14:54
S4	2	(masimo adj lab$8).asn. and ((wavelength$1 or (wave adj length$1)) with (control$5 or microcontroller$1 or (micro adj control$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 14:54
S5	4	S1 and ((wavelength$1 or (wave adj length$1)) with (control$5 or microcontroller$1 or (micro adj control$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 14:59
S6	517	((oximeter$4 or oximetry) or (oxygen with saturat$6)) and ((wavelength$1 or (wave adj length$1)) with (control$5 or microcontroller$1 or (micro adj control$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 15:00
S7	2	S1 and ((wavelength$1 or (wave adj length$1)) with (control$5 or microcontroller$1 or (micro adj control$5))) and (optical near radiation$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 15:00

S8	36	((oximeter$4 or oximetry) or (oxygen with saturat$6)) and ((wavelength$1 or (wave adj length$1)) with (control$5 or microcontroller$1 or (micro adj control$5))) and (optical near radiation$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/19 07:40
S9	142	((oximeter$4 or oximetry) or (oxygen with saturat$6)) and ((wavelength$1 or (wave adj length$1)) with (control$5 or microcontroller$1 or (micro adj control$5))) and ((absorb$6 or absorpt$6) with radiation$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 15:03
S10	89	((oximeter$4 or oximetry) or (oxygen with saturat$6)) and ((wavelength$1 or (wave adj length$1)) with (control$5 or microcontroller$1 or (micro adj control$5))) and ((absorb$6 or absorpt$6) with radiation$1 with (wavelength$1 or (wave adj length$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 16:38
S11	525	((oximeter$4 or oximetry) or (oxygen with saturat$6)) and (upgrad$6 or (up adj grad$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 16:39
S12	51	((oximeter$4 or oximetry) or (oxygen with saturat$6))and ((upgrad$6 or (up adj grad$5)) with (monitor$4 or (oximeter$4 or oximetry)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 16:40
S13	5	((oximeter$4 or oximetry) or (oxygen with saturat$6))and ((upgrad$6 or (up adj grad$5)) with (monitor$4 or (oximeter$4 or oximetry))) and ((wavelength$1 or (wave adj length$1)) with (control$5 or microcontroller$1 or (micro adj control$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 16:41

| S14 | 11 | ((oximeter$4 or oximetry) or (oxygen with saturat$6))and ((upgrad$6 or (up adj grad$5)) with (monitor$4 or (oximeter$4 or oximetry))) and (((wavelength$1 or (wave adj length$1)) with (control$5 or microcontroller$1 or (micro adj control$5))) or (((led or leds or (light adj emit$6)) with (control$5 or microcontroller$1 or (micro adj control$5)) same (wavelength$1 or (wave adj length$1)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/05/19 07:02 |